Bobcat

One Tough Animal

BACKHOE LOADER

B730

M-Series

MEA & CIS





TOUGH CONDITIONS.
TOUGHER PEOPLE.

At Bobcat, we're not just building machines—we're also celebrating the people who push them to the limit. Because real strength isn't just built into machines—it comes from the people who operate them.

LEARN MORE

ONE TOUGH ANIMAL

OUR MISSION

We empower operators to accomplish more while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

INTRODUCTION



HISTORY OF BOBCAT

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

YEARS OF EXPERIENCE

For years, we've been working hard to provide you with the best machines for all your needs. With over two decades of experience in building the toughest equipment, we make sure your work is always backed by a machine you can rely on.



Picture by: Anirban Bagchi, Editor, CMME

BOBCAT TODAY

Bobcat's latest series of Backhoe loaders is the result of rigorous testing, customer feedback, and innovation. These machines will undoubtedly allow you to accomplish more every day.



B4502533 - EN (02-26)

POWERFUL AND INTUITIVE

PRODUCTIVITY AND COMFORT IN A ROBUST MACHINE

The Bobcat B730 M-Series Backhoe Loader is an outstanding value proposition, with excellent performance, ease of operation and superior comfort – all in a machine built to last with proven, high-quality components and signature Bobcat durability.





OUTSTANDING PERFORMANCE

With a powerful and efficient hydraulic system and reliable 92 HP Perkins engine, you can rest assured that every job will be beautifully finished.
P. 7



INTUITIVE, CUSTOMIZABLE CONTROLS

Have your machine factory-configured with a control layout that you and your operators prefer. No worries about switching from another brand – just strap in and go to work!



UNMATCHED VISIBILITY

Thanks to the new cab design, remain aware of your surroundings with full visibility at all times.
P. 8



INTEGRATED CONTROLS

The 6-in-1 bucket controls, differential lock, and transmission disengage are all conveniently located on the loader's joystick.

B4502533 - EN (02-26)

PERFORMANCE

PRODUCTIVITY IN EVERY TASK

The powerful hydraulic system, robust build, high breakout force, and intuitive operation all enhance productivity for trenching, leveling, and loading.



HIGH-QUALITY COMPONENTS

The B730 M-Series Backhoe Loader is built using high-quality, proven components – like the Perkins 1104 engine, Carraro axles and transmission, and Parker pumps – for superior dependability and easy serviceability by Bobcat dealers.



OUTSTANDING FUEL ECONOMY & AUTONOMY

Thanks to the B730's extra-large 140-liter tank and excellent fuel efficiency, you can work longer without refueling. The fuel tank is also made of corrosion-resistant plastic and protected by a metal guard to prevent both corrosion and damage.



PERFORMANCE IN ALL WEATHER CONDITIONS

Thanks to their highly effective cooling systems, the performance of B730 M-Series Backhoe Loaders remains uncompromised in even the hottest and harshest conditions.



STEP INSIDE





ALL-DAY COMFORT

With a roomy, air-conditioned, and thoughtfully designed cab, every operator will be able to drive, load, dig, and reposition the machine, no matter how long the shift is. The B730's great overall visibility also helps make every job easier.



STAY HYDRATED



Stay hydrated and organized all day long thanks to the thoughfully placed cup holder.

STAY IN POSITION



With an easy-to-fasten seatbelt, remain seated and comfortable, even while driving across bumpy terrain.

ROOMY CAB



The B730's generous cab size and extra leg room offer all-day comfort and easy front-to-back repositioning.



AUTO SHIFT TRANSMISSION

SHIFT INTO GEAR, EFFORTLESSLY

Designed to optimize gear shifting during travel operations on the backhoe loader, the Auto Shift (SPS) transmission system automatically adjusts the transmission gearing based on vehicle speed, load, and terrain conditions. This helps improve fuel efficiency, reduce operator fatigue, and enhance the overall machine performance.

KEY BENEFITS

- **Easier operation:** No need for manual gear changes, reducing fatigue and letting the operator stay focused on the task.
- **More comfort:** Smooth, automatic shifts make travel and loading more relaxed and consistent.
- **Higher efficiency:** The machine stays in the optimal gear for every situation, supporting faster cycles and steady performance regardless of operator experience.



A MACHINE THAT WORKS WITH YOU. A BRAND THAT STANDS BEHIND YOU.

Buying a Bobcat isn't just a purchase — it's peace of mind. From day one to the final hour, we're with you.

BOBCAT WARRANTY

COVERAGE THAT HAS YOUR BACK

Every new Bobcat comes with built-in confidence — and the option to go even further.

- ✔ 2 years / 2 000 hours of standard coverage
- ✔ Protection Plus: Extend your warranty and your peace of mind

ATTACHMENTS

ONE MACHINE, MANY JOBS

Your Bobcat is more than a machine — it's your all-in-one solution. From loading to drilling to cleanup, swap tasks in seconds.

- ✔ Pre-selected kits for easier setup
- ✔ Quick changes with Bob-Tach® or common industry interface (CII)

TRAINING VIDEOS: QUICK TIPS, REAL RESULTS

SERVICE

SERVICE THAT KEEPS YOU MOVING

Bobcat-authorised service means your machine gets expert care — fast. Regular checks, genuine parts, minimal downtime. And support that's always close by.

GENUINE PARTS

GUARANTEED PERFORMANCE.

Perfect fit, lasting performance, longer machine life. With genuine Bobcat parts, every start is reliable, and every action precise.

- ✔ Wide partner network
- ✔ 96% of parts delivered within 48 hours

BOBCAT CERTIFIED

BACKED TO HOLD VALUE

A well-maintained Bobcat keeps its edge — and its worth. With Bobcat Certified, your machine stays recognised, trusted, and ready for the next owner.

BOBCAT. RELIABILITY THAT LASTS LONGER.

STANDARD EQUIPMENT & OPTIONS

	B730
PERFORMANCE	
4WD shaft guard	•
6-in-1 ready piping	•
600 mm backhoe bucket	✓
Air filter condition indicator lamp	✓
Control patterns ISO +, SAE + and SAE X	•
Front wheel mudguards	•
General purpose loader bucket	✓
Hydraulic assisted boosted brake	✓
Loader arm safety brace	✓
Master switch	✓
Ride control	•
Starting system thermal aid	✓
CABIN	
Air conditioning	•
Armrest	✓
Floormat	✓
Fully equipped dashboards	✓
Headrest	✓
Heater	✓
Mechanical suspension seat with seat belt	✓
Radio/Pen drive player	✓
ROPS/FOPS enclosed cab	✓
Side storage	✓
Steering wheel knob	✓
Sun visor	✓
Tilted steering column	✓
MISCELLANEOUS	
8 work lights (4 front, 4 rear)	✓
Cigarette lighter	✓
Exterior mirrors	✓
Front headlights	✓
Horn	✓
Reverse alarm	✓
Rotating beacon	✓
Visual and audible warning system for main functions	✓

• = option ✓ = standard – = not available or not compatible







MULTI-TOOL CARRIER

BOBCAT ATTACHMENTS

Get more versatility and efficiency with Bobcat attachments and implements.

- The largest choice of attachments in the industry.
- Match performance to your Bobcat machine.
- Work harder with stronger components and construction.
- Rest easy with the 12-month warranty on every genuine Bobcat attachment.

TOP SELECTION OF ATTACHMENTS	
BACKHOE	
1 Backhoe buckets, different sizes	•
2 Extendable boom	•
3 Breaker piping	•
4 Hydraulic breaker	•
LOADER	
5 Loader bucket 6-in-1	•
6 Pallet forks	•





Backhoe buckets



Extendable boom



Breaker piping



Hydraulic breaker



Loader bucket 6-in-1



Pallet forks

BOBCAT OFFERS A WIDE RANGE OF ATTACHMENTS TO MEET YOUR NEEDS. CHECK OUT THE 'BOBCAT ATTACHMENT CATALOG' FROM YOUR DEALER OR DOWNLOAD THE 'ONE TOUGH WORLD' APP VIA THE QR CODE.

GET IT ON Google Play

Download on the App Store

SPECIFICATIONS


SPECIFICATIONS	
ENGINE	
Make / Model	Perkins / 1104D-44T
Compliance	Tier 2
Aspiration	Turbocharged
Number of cylinders	4
Displacement	4.4 l
Rated gross power (ISO 14396)	70 kW
Rated gross power (ISO 14396)	94 HP
Rated speed	2 200 RPM
Maximum torque @1 400 RPM	392 Nm
Bore	105 mm
Stroke	127 mm
Fuel	Diesel
Cooling	Coolant (Perkins ELC)
ELECTRICAL SYSTEM	
Battery	12 V 130 Ah
Alternator	85 A
Starter	3 kW
TRANSMISSION	
Make / Model	Carraro
Type	Manual / Auto Shift
Max travel speed 1st forward/reverse	6 / 7.6 km/h
Max travel speed 2nd forward/reverse	9.6 / 12.2 km/h
Max travel speed 3rd forward/reverse	20.7 / 26.9 km/h
Max travel speed 4th forward/reverse	40 km/h
FRONT AXLE	
Make	Carraro
Type	4WD
2WD/4WD selection	By switch on dashboard
Design	Steered with oscillation
Limited slip	Without Limited Slip
Oscillation	16.0°
REAR AXLE	
Make	Carraro
Design	Rigid
Differential lock	Standard
HYDRAULIC SYSTEM	
System type	Open center
Pump	Tandem gear pump
Flow	72.6 + 63.8 l/min
System pressure	220 bar
Controls, backhoe	Mechanical Joystick Levers
Controls, loader	Mechanical Joystick Lever

SPECIFICATIONS	
STEERING	
Type	2WS
Turning circle (unbraked), outside front tires	9 100 mm
Turning circle (unbraked), outside loader bucket	11 600 mm
BRAKES	
Service type	Hydraulic wet multi-disc, dual pedal braking
Parking type	Mechanical control disc on rear axle
LOADER PERFORMANCE	
Bucket width	2 280 mm
Bucket capacity, GP	1.1 m^3
Bucket capacity, 6-in-1	1.1 m^3
Breakout force, bucket	60 kN
Breakout force, arm	56.74 kN
Rated operating capacity at max height	3 492 kg
Height to hinge pin	3 501 mm
Dump height	2 728 mm
BACKHOE PERFORMANCE	
Bucket width	600 mm
Bucket capacity	0.18 m^3
Bucket tearout	60 kN
Dipper tearout retracted	29.47 kN
Dipper tearout extended	21.4 kN
Digging depth retracted	4 633 mm
Digging depth extended	5 623 mm
Maximum reach from swing center (retracted/extended)	5 787 / 6 735 mm
OPERATING WEIGHTS	
Base machine	7 904 kg
TIRES	
4WD front	12.5-18.12 PR
Rear	16.9-28.12 PR
FLUID CAPACITIES	
Engine oil	8 l
Cooling system	16 l
Fuel tank	160 l
Hydraulic tank	70 l
Hydraulic system	125 l
Front axle	9.1 l
Rear axle	17.5 l
Transmission oil	16 l

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.


SPECIFICATIONS

DIMENSIONS



DIMENSIONS		
A	Overall length in travel position	6 130 mm
B	Wheelbase	2 193 mm
C	Backhoe swing center distance	1 328 mm
D	Ground clearance	428 mm
E	Height to cab	2 940 mm
F	Overall transport height	3 798 mm
G	Machine width	2 280 mm
H	Overall width (bucket)	2 280 mm
I	Font wheel track	1 719 mm
J	Rear wheel track	1 961 mm

WORKING RANGE



BACKHOE			
		RETRACTED	EXTENDED
A	Max. digging depth	4 633 mm	5 623 mm
B	Max. reach from rear axle center	7 115 mm	8 063 mm
C	Max. reach from swing center	5 787 mm	6 735 mm
D	Max. digging height	5 855 mm	6 584 mm
E	Max. dump height	4 052 mm	4 783 mm
F	Loading reach	1 844 mm	2 527 mm
G	Bucket rotation angle	202°	202°
H	Max. bucket hinge pin height	4 910 mm	5 641 mm

LOADER	
I	Distance between hinge pin and front axle center	1 133 mm
J	Max. rollback angle, fully raised	64°
K	Dump height	2 728 mm
L	Load over height	3 200 mm
M	Height to hinge pin	3 501 mm
N	Max. reach at full height	1 171 mm
O	Dumping reach	753 mm
P	Digging Depth	127 mm
R	Dump angle	44°



BUILT FOR EVERY JOB. READY FOR YOUR WORLD.


340 MACHINES / 150 PRODUCT FAMILIES / 1 TOUGH ANIMAL



SKID-STEER LOADERS



COMPACT TRACK LOADERS




BACKHOE LOADERS




COMPACT EXCAVATORS



FORKLIFTS




TELEHANDLERS



ROTARY TELEHANDLERS



WAREHOUSE EQUIPMENT



GENERATORS



AIR COMPRESSORS



LIGHTING SYSTEMS




SMALL ARTICULATED LOADERS



MINI TRACK LOADERS



LIGHT COMPACTION EQUIPMENT



ATTACHMENTS

Bobcat

DOOSAN

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2026 Bobcat Company. All Rights Reserved.

Doosan Bobcat EMEA, U Kodetky 1810, 263 12 Dobříš, Czech Republic

www.bobcat.com

©2026 BOBCAT B4502533 - EN (02-26)

GET IN TOUCH WITH US TODAY

Click one of the following links or scan the QR code:

Request a quote

Request a demo

Find a dealer